
Apiezon Vacuum Greases, Lubricants and Sealants



We Are Dealer
Of Apiezon®

APIEZON®

www.apiezon.com

 **Anadolu**
VACUUM TECHNOLOGIES

www.anadoluvacuum.com

Excellent performance
in vacuum applications.



Apiezon High Vacuum Greases

The Apiezon family of high vacuum greases have been serving the market for many years and are highly regarded worldwide for their quality, consistency and excellent performance in vacuum applications.

Apiezon hydrocarbon based high vacuum greases are silicone-free and highly resistant to creep. These vacuum greases are suitable for use in a range of temperatures and applications. They have proven success around the world including use by NASA, the UK military and leading vacuum equipment manufacturers.

Apiezon PFPE 501 is a chemically inert, high temperature and extreme pressure lubricant. With an upper operating temperature of 250°C and vapour pressure of 1.3×10^{-12} at 25°C, it is robust, versatile and can be used for sealing and lubricating under the most extreme operating conditions. It is ideal as a sealant and lubricant in short path distillation, coating and semiconductor industries.

Apiezon PFPE 501 Grease 100 g

- Branched perfluoropolyether, with PTFE
- Inert grease, suitable for oxygen rich environments
- Ultra high vacuum
- Wide temperature range, good for high temperature applications

€269



Apiezon AP101 Grease 50 g

- Formulated from base oil + thickener (conventional grease)
- Contains PTFE
- Anti-seize grease

€102

Apiezon
AP101 Grease
4 KG

Apiezon AP101 Grease (4 KG)

- Formulated from base oil + thickener (conventional grease)
- Contains PTFE
- Anti-seize grease

€5261



Apiezon AP100 Grease 50 g

- Formulated from base grease
- Contains PTFE for enhanced lubricity

€218

Vacuum Greases & Compound



€200

Apiezon H Grease 25 g

- Formulated from a distilled heavy oil residue
- Polymeric and thickener additives
- High temperature use



€150

Apiezon L Grease 25 g

- Apiezon L grease chosen due to low outgassing properties
- Added benefit of easy to clean



€207

Apiezon L Grease 50 g

- Apiezon L grease chosen due to low outgassing properties
- Added benefit of easy to clean



€4132

Apiezon M Grease 4 kg

- Based on pure hydrocarbon, contains no additives.
- Room temperature use



€172

Apiezon M Grease 100 g

- Based on pure hydrocarbon, contains no additives.
- Room temperature use



€7015

Apiezon L Grease 4 kg

- Apiezon L grease chosen due to low outgassing properties
- Added benefit of easy to clean



€234

Apiezon N Grease 25 g

- Apiezon N is thermally conductive, its use improved the experiment
- Ability to withstand thermal cycling
- Prevented moisture ingress and superconductor damage



€96

Apiezon M Grease 25 g

- Based on pure hydrocarbon, contains no additives.
- Room temperature use



€196

Apiezon T Grease 25 g

- Formulated from a distilled heavy oil residue
- Polymeric and thickener additives
- Medium temperature grease




€204

Apiezon Q Compound 1 kg

Temporary Vacuum Sealant

Apiezon Wax & Oils



Apiezon Wax W (1 KG)

- Apiezon Wax W is resistant to many etching fluids, including HF
- Apiezon Wax W can be dissolved in an aromatic hydrocarbon solvent for room temperature application

€169



AP201 (4L)

- Hydrocarbon oil
- Specifically designed for use in vapour booster pumps

€735



Apiezon Wax W 500 g

- Apiezon Wax W can be dissolved in an aromatic hydrocarbon solvent for room temperature application

€205



Apiezon Wax W40 250 g

- Designed for applications exposed to vibrations, softness reduces the risk of cracking

€204



Apiezon Wax W100 250 g

- Designed for applications exposed to vibrations, softness reduces the risk of cracking

€204



AP201 (20L)

- Hydrocarbon oil
- Specifically designed for use in vapour booster pumps

€3266



AP201 (200L)

- Hydrocarbon oil
- Specifically designed for use in vapour booster pumps

€31146



Apiezon J Oil (500ml)

Apiezon J oils are high viscosity sealing oils which can be used in a variety of applications.

€504



Apiezon K Oil (500ml)

Apiezon K oils are high viscosity sealing oils which can be used in a variety of applications.

€748



Apiezon AP303 (1L)

- Used as a lubricant in bearings in turbo molecular pumps

€358



Anadolu
VACUUM TECHNOLOGIES

Yeşiloba Mahallesi Orta Ölçekli
Sanayi Sitesi 46067 Sokak
No: 2/6 Seyhan / Adana

90 530 645 43 49
sales@atimsan.com

www.anadoluvacuum.com